

## FACSIMILE TRANSMITTAL SHEET

RECEIVED  
CENTRAL FAX CENTER

NOV 17 2006

JAMES C. LYDON  
Attorney At Law  
100 Daingerfield Road  
Suite 100  
703 Alexandria, VA 22314

▶▶▶ IF YOU DID NOT RECEIVE ALL PAGES, PLEASE CALL AS SOON AS POSSIBLE ◀◀◀

FACSIMILE OPERATOR TEL. NO.: (703) 838-0445  
DIRECT LINE TO FACSIMILE: (703) 838-0447

TO: Examiner Marc S. Zimmer  
Group Art Unit: 1712

FIRM: U.S. Patent and Trademark Office

FACSIMILE NO.: 571-273-8300


FROM: James C. Lydon

RE: Amendment and Supplemental IDS  
U.S. Patent Appln. S.N. 10/518,342  
By: Laurent DUMONT et al.  
Atty. Case No.: PLAS-036

TOTAL PAGES: 19 including cover sheet.

DATE: November 17, 2006

I hereby certify that this paper is being  
facsimile transmitted to the Patent and  
Trademark Office on the date shown above.

  
James C. Lydon

THIS FACSIMILE IS INTENDED ONLY FOR THE INDIVIDUAL OR ENTITY NAMED ABOVE (OR THOSE PROPERLY ENTITLED ACCESS TO THE INFORMATION) AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL OR EXEMPT FROM DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS TRANSMISSION IS NOT THE INTENDED OR AN AUTHORIZED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY UNAUTHORIZED DISTRIBUTION, DISSEMINATION, OR COPY OF THIS TRANSMISSION IS PROHIBITED.

IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY COLLECT TELEPHONE CALL OR BY FACSIMILE. THANK YOU.

RECEIVED  
CENTRAL FAX CENTER  
NOV 17 2006 PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re the application of:

Laurent DUMONT et al.

Serial Number: 10/518,342

Group Art Unit: 1712

Filed: September 30, 2005

Examiner: Zimmer, Marc S.

For: SILICONE COMPOSITION USEFUL ESPECIALLY FOR THE PRODUCTION  
OF ANTI-FRICTION VARNISH, PROCESS FOR THE APPLICATION  
OF SAID VARNISH TO A SUBSTRATE, AND TREATED SUBSTRATE

**AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

November 17, 2006

Sir:

In response to the Official Action mailed August 17, 2006,  
please amend this application as follows: